Author Index of Volume B9

Abe, T., 177
Adami, M., 25
Andle, J. C., 155
Arakawa, T., 205

Baldini, E., 25
Bott, B., 133
Brudzweski, K., 59
Bu, J. U., 221
Buchholz, F., 41
Buschmann, N., 41

Cammann, K., 41
Carey, W. P., 113
Chandorkar, A. N., 1
Cheong, H.-W., 227
Choi, J.-J., 227
Churn, G.-S., 227
Colbow, K., 49

Dahint, R., 155

Fischer, K., 209

Gardner, J. W., 9, 133
Grohmann, I., 191
Grunze, M., 97, 155

Haworth, D. T., 97
Heiland, G., 123
Hines, E. L., 9
Hiranaka, Y., 177
Hoogers, G., 123
Huck, R., 123

Ishii, E., 149
Iskandarani, M. Z., 133

Josse, F., 97, 155

Kamaya, M., 149
Kanefusa, S., 85
Kim, H. P., 227
Kim, J., 227
Kim, J.-M., 227
Kim, S. T., 221
Kim, T. Y., 221
Kohl, D., 123
Koshizaki, N., 17
Krause, S., 191
Krawczyński vel Krawczyk, T., 33
Kühner, G., 215
Kulys, J., 143

Lacher, M., 215
Lee, D. H., 221
Li, N., 91
Liew, S., 97
Logothetis, E. M., 183, 233
Löw, H., 215
Lukaszewicz, J. P., 55
Lundström, I., 127

Madhusudhana Reddy, M. H., 1
Maekawa, T., 63, 71, 197
Matsushima, S., 63, 71
Menne, A., 79
Mitsuoka, M., 205
Miura, N., 55, 63, 71, 165, 197
Moritz, W., 191
Müller, J., 209
Murata, H., 177

Nagashima, K., 149
Nederlof, A. J., 171
Nicolini, C., 25
Nieuwenhuizen, M. S., 171
Nitta, M., 85

Otofuji, A., 205

Reiter, H., 215
Rimai, L., 183, 233
Rossi, A., 25
Sartore, M., 25
Shana, Z. A., 97
Shim, Y. C., 221
Shimizu, Y., 165
Soltis, R. E., 183, 233
Steiner, K., 215
Suga, K., 17
Sulz, G., 215
Sundgren, H., 127

Tamaki, J., 63, 71, 197
Tan, T. C., 91
Tang, H. C., 9
Trojanowicz, M., 33

Uptmoor, G., 215

Visser, J. H., 183, 233
Vollmer, H., 127

Weppner, W., 79

Yamazoe, N., 55, 63, 71, 165, 197
Yao, S., 165
Yasumoto, K., 17
Yee, S. S., 113

Zuxiong Chen, 49

Elsevier Sequoia

Subject Index of Volume B9

Abductive networks
  chemical sensor arrays and, 127
Acoustic plate mode devices
  use of *ZX*-$LiNbO_3$, as detectors for dilute electrolytes, 97
Acoustic wave fields
  probing of strong and weak electrolytes with, 155
Additives
  effects of alkaline oxide, on microstructure and humidity sensitivity of $MgCr_2O_4$–TiO_2, 221
  role of, in Sn dioxide-based gas sensors, 227
Alkaline oxide additives
  effects of, on microstructure and humidity sensitivity of $MgCr_2O_4$–TiO_2, 221
Amperometric sensor
  flow-through, for hydrogen peroxide monitoring in gaseous media, 143

Barium
  gas-sensing characteristics of $YBa_2Cu_3O_{6+y}$, 17

Calibration
  of non-linear solid-state sensor arrays using multivariate regression techniques, 113
Carbon dioxide sensor
  high-performance solid-electrolyte, with binary carbonate electrode, 165
Chemical sensor(s)
  based on oxygen pumping with solid-state electrochemical cells, 183
  Si-based SAW, for NO_2 by applying Si nitride passivation layer, 171
Chemical sensor arrays
  and abductive networks, 127
Chlorine
  ellipsometric sensor for H_2S, SO_2, Cl_2 determination in air, 59
  influence of moisture at solid/gas interfaces in electrochemical Cl_2 sensors, 79
Chromium
  effects of alkaline oxide additives on microstructure and humidity sensitivity of $MgCr_2O_4$–TiO_2, 221
  MgO-doped Cr_2O_3; solubility limit and effect of doping on resistivity and ethanol sensitivity, 49
  sensing properties of $LnMO_3/SnO_2$ (Ln = rare earth, M = Cr, Co, Mn, Fe) having heterojunction, 205
Cobalt
  sensing properties of $LnMO_3/SnO_2$ (Ln = rare earth, M = Cr, Co, Mn, Fe) having heterojunction, 205
Combustibles
  sensors for measuring, in absence of oxygen, 233
Copper
  CuO–SnO_2 element for highly sensitive and selective detection of H_2S, 197
  electrochemical gas sensors using electrolytic films of poly(ethylene oxide)/Zn, Cu, Ni trifluoromethane sulphonates for flow injection analysis of NO_2, 149
  gas-sensing characteristics of $YBa_2Cu_3O_{6+y}$, 17

Doping
  MgO-doped Cr_2O_3; solubility limit and effect of, on resistivity and ethanol sensitivity, 49

Electrochemical chlorine sensors
  influence of moisture at solid/gas interfaces in, 79
Electrochemical gas sensors
  using electrolytic films of poly(ethylene oxide)/Zn, Cu, Ni trifluoromethane sulphonates for flow injection analysis of NO_2, 149
Electrode(s)
  high-performance solid-electrolyte carbon dioxide sensor with binary carbonate, 165
  LaF_3-based oxygen sensor using Pb phthalocyanine, for quick response at room temperature, 55
Electrode geometry
  effect of, on gas sensitivity of Pb phthalocyanine thin films, 133
Electrolytes
  probing of strong and weak electrolytes with acoustic wave fields, 155
  use of *ZX*-$LiNbO_3$ acoustic plate mode devices as detectors for dilute, 97
Electron-beam
  evaporated thin-film Sn oxide gas sensors, response study of, 1
Ellipsometric sensor
  for H_2S, SO_2, Cl_2 determination in air, 59
Ethanol
  development of SnO_2-based, gas sensor, 63
Ethanol sensitivity
  MgO-doped Cr_2O_3; solubility limit and effect of doping on resistivity and, 49

Fibre-optical sensor
  for determination of Na with reversible response, 41
Flow injection analysis
  electrochemical gas sensors using electrolytic films of poly(ethylene oxide)/Zn, Cu, Ni trifluoromethane sulphonates for, of NO_2, 149
  of inorganic pollutants in gaseous phase with piezoelectric detection; verification of principal experimental parameters affecting detector response, 41

Gas-dependent response
  in temperature transient of SnO_2 gas sensors, 177
Gas-sensing characteristics
  of $YBa_2Cu_3O_{6+y}$, 17
Gas sensitivity
  effect of electrode geometry on, of Pb phthalocyanine thin films, 133
Gas sensor(s)
  detection of H_2 gas by metal phthalocyanine-based, 85
  development of SnO_2-based ethanol gas sensor, 63
  gas-dependent response in temperature transient of SnO_2, 177
  new methods for supporting Pd on Sn oxide, 71
  response study of electron-beam evaporated thin-film Sn oxide, 1

role of additives in Sn dioxide-based, 227
thin-film In-doped V-catalysed SnO_2 gas sensors, 215
uptake of oxygen by noble metal clusters on, 123

Humidity sensitivity
effects of alkaline oxide additives on microstructure and, of $MgCr_2O_4$–TiO_2, 221
Hydrogen
detection of H_2 gas by metal phthalocyanine-based gas sensors, 85
Hydrogen peroxide monitoring
flow-through amperometric sensor for, in gaseous media, 143
Hydrogen sulfide
CuO–SnO_2 element for highly sensitive and selective detection of H_2S, 197
ellipsometric sensor for H_2S, SO_2, Cl_2 determination in air, 59

Indium
thin-film In-doped V-catalysed SnO_2 gas sensors, 215
Interfaces
influence of moisture at solid/gas, in electrochemical Cl_2 sensors, 79
Iron
sensing properties of $LnMO_3/SnO_2$ (Ln = rare earth, M = Cr, Co, Mn, Fe) having heterojunction, 205

Lanthanum
LaF_3-based oxygen sensor using Pb phthalocyanine electrode for quick response at room temperature, 55
low-temperature oxygen sensor based on $Si/LaF_3/Pt$ capacitive structure, 191
LAPS devices
new measuring principle for, 25
Lead phthalocyanine
effect of electrode geometry on gas sensitivity of, thin films, 133
LaF_3-based oxygen sensor using, electrode for quick response at room temperature, 55
Lithium
use of *ZX*-$LiNbO_3$ acoustic plate mode devices as detectors for dilute electrolytes, 97

Magnesium
effects of alkaline oxide additives on microstructure and humidity sensitivity of $MgCr_2O_4$–TiO_2, 221
MgO-doped Cr_2O_3; solubility limit and effect of doping on resistivity and ethanol sensitivity, 49
Manganese
sensing properties of $LnMO_3/SnO_2$ (Ln = rare earth, M = Cr, Co, Mn, Fe) having heterojunction, 205
Measuring principle
for LAPS devices, new, 25
Metallic oxide
high-temperature, resistive oxygen sensor, 91
Metal phthalocyanine
detection of H_2 gas by, -based gas sensors, 85
Microstructure
effects of alkaline oxide additives on, and humidity sensitivity of $MgCr_2O_4$–TiO_2, 221
Moisture
influence of, at solid/gas interfaces in electrochemical Cl_2 sensors, 79

Multisensor array
detection of vapours and odours from, using pattern-recognition techniques; artificial neural networks, 9
Multivariate regression techniques
calibration of nonlinear solid state sensor arrays using, 113

Neural networks
artificial; detection of vapours and odours from multisensor array using pattern-recognition techniques, 9
Nickel
electrochemical gas sensors using electrolytic films of poly(ethylene oxide)/Zn, Cu, Ni trifluoromethane sulphonates for flow injection analysis of NO_2, 149
Niobium
use of *ZX*-$LiNbO_3$ acoustic plate mode devices as detectors for dilute electrolytes, 97
Nitrogen dioxide
electrochemical gas sensors using electrolytic films of poly(ethylene oxide)/Zn, Cu, Ni trifluoromethane sulphonates for flow injection analysis of, 149
Si-based SAW chemical sensor for NO_2 by applying Si nitride passivation layer, 171
Noble metal clusters
uptake of oxygen by, on gas sensors, 123

Odours detection of, vapours and
from multisensor array using pattern-recognition techniques; artificial neural networks, 9
Optical waveguides
sensor application of SiON integrated, on Si, 209
Oxygen
sensors for measuring combustibles in absence of, 233
uptake of, by noble metal clusters on gas sensors, 123
Oxygen pumping
chemical and physical sensors based on, with solid-state electrochemical cells, 183
Oxygen sensor(s)
high-temperature metallic oxide resistive, 91
LaF_3-based, using Pb phthalocyanine electrode for quick response at room temperature, 55
low-temperature, based on $Si/LaF_3/Pt$ capacitive structure, 191

Palladium
new methods for supporting Pd on Sn oxide gas sensor, 71
Pattern-recognition techniques
detection of vapours and odours from multisensor array using; artificial neural networks, 9
Physical sensors
based on oxygen pumping with solid-state electrochemical cells, 183
Piezoelectric detection
flow-injection analysis of inorganic pollutants in gaseous phase with; verification of principal experimental parameters affecting detector response, 41
Platinum
low-temperature oxygen sensor based on $Si/LaF_3/Pt$ capacitive structure, 191
Pollutants
flow-injection analysis of inorganic, in gaseous phase with piezoelectric detection; verification of principal experimental parameters affecting detector response, 41
Poly(ethylene oxide)
/Zn, Cu, Ni trifluoromethane sulphonates, electrochemical

gas sensors using electrolytic films of, for flow injection analysis of NO_2, 149

Rare earths
sensing properties of $LnMO_3/SnO_2$ (Ln = rare earth, M = Cr, Co, Mn, Fe) having heterojunction, 205
Resistivity
MgO-doped Cr_2O_3; solubility limit and effect of doping on, and ethanol sensitivity, 49
Response study
of electron-beam evaporated thin-film Sn oxide gas sensors, 1

Sensing properties
of $LnMO_3/SnO_2$ (Ln = rare earth, M = Cr, Co, Mn, Fe) having heterojunction, 205
Sensor application
of SiON integrated optical waveguides on Si, 209
Sensor arrays
calibration of nonlinear solid-state, using multivariate regression techniques, 113
Silicon
low-temperature oxygen sensor based on $Si/LaF_3/Pt$ capacitive structure, 191
sensor application of SiON integrated optical waveguides on Si, 209
Si-based SAW chemical sensor for NO_2 by applying Si nitride passivation layer, 171
Sodium
fibre-optical sensor for determination of Na with reversible response, 41
Solubility limit
MgO-doped Cr_2O_3; and effect of doping on resistivity and ethanol sensitivity, 49
Sulfur dioxide
ellipsometric sensor for H_2S, SO_2, Cl_2 determination in air, 59
Surface acoustic wave
Si-based SAW chemical sensor for NO_2 by applying Si nitride passivation layer, 171

Tin
$CuO–SnO_2$ element for highly sensitive and selective detection of H_2S, 197
development of SnO_2-based ethanol gas sensor, 63
gas-dependent response in temperature transient of SnO_2 gas sensors, 177
new methods for supporting Pd on Sn oxide gas sensor, 71
response study of electron-beam evaporated thin-film Sn oxide gas sensors, 1
role of additives in Sn dioxide-based gas sensors, 227
sensing properties of $LnMO_3/SnO_2$ (Ln = rare earth, M = Cr, Co, Mn, Fe) having heterojunction, 205
thin-film In-doped V-catalysed SnO_2 gas sensors, 215
Titanium
effects of alkaline oxide additives on microstructure and humidity sensitivity of $MgCrO_4–TiO_2$, 221

Vanadium
thin-film In-doped V-catalysed SnO_2 gas sensors, 215
Vapours detection of, and odours
from multisensor array using pattern-recognition techniques; artificial neural networks, 9

Yttrium
gas-sensing characterisitcs of $YBa_2Cu_3O_{6+y}$, 17

Zinc
electrochemical gas sensors using electrolytic films of poly(ethylene oxide)/Zn, Cu, Ni trifluoromethane sulphonates for flow injection analysis of NO_2, 149